

201400047

# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:


# Pioneer Hi-Bred International, Inc.

Whereas, there has been presented to the

# Secretary of Agriculture

An application requesting a certificate of protection for an alleged distinct variety of sexually reproduced, or tuber propagated plant, the name and description of which are contained in the application and exhibits, a copy of which is hereunto annexed and made a part hereof, and the various requirements of LAW in such cases made and provided have been complied with, and the title thereto is, from the records of the PLANT VARIETY PROTECTION OFFICE, in the applicant(s) indicated in the said copy, and Whereas, upon due examination made, the said applicant(s) is (are) adjudged to be entitled to a certificate of plant variety protection under the LAW.

Now, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of TWENTY years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or conditioning it for propagation, or stocking it for any of the above purposes, or using it in producing a hybrid or different variety therefrom, to the extent provided by the PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)



In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this eleventh day of September, in the year two thousand and fourteen.

7 20

Attest:

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Secretary of Agriculture

| REPRODUCE LOCALLY. Include form number   | r and date of                                    | on all reproductions   |   |  | Form Approved - OMB No. 0581-0055   |  |  |
|--|--|--|---|--|---|--|--|
| SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE  552a) and to   |  |  | 552a) and th  | lowing statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. and the Paperwork Reduction Act (PRA) of 1995.           |   |  |  |
| APPLICATION FOR PLANT VARIETY PR   | OTECTION   | CERTIFICATE  | Application is<br>(7 U.S.C.   | required in order to determine if a plant variety pro<br>2421). Information is held confidential until certific                          | tection certificate is to be issued<br>eate is issued (7 U.S.C. 2426).    |  |  |
| (Instructions and information collection but  1. NAME OF OWNER   | irden statem                                     | ent on reverse)  | 2. TEMPOR   | ARY DESIGNATION OR EXPERIMENTAL NAME   | 3. VARIETY NAME   |  |  |
| Pioneer Hi-Bred International, Inc.  |  |  |   |  | PH1V69  |  |  |
| 4. ADDRESS (Street and No., or R.F.D. No., City,   |  |  | 5. TELEPHO  | DNE (include area code)  | FOR OFFICIAL USE ONLY   |  |  |
| 7100 NW 62nd Ave   |  |  |   | (515) 535-6975. 3200   | PVPO NUMBER   |  |  |
| P.O. Box 1014  | iuc  |  | 6. FAX (inclu   | ude area code)   | 201400047   |  |  |
| Johnston, Iowa 50  | 131-101  | 4 USA  | 15  | (515) 535-2125 4590  | FILING DATE   |  |  |
| 7. IF THE OWNER NAMED IS NOT A "PERSON" GIVE FORM OF ORGANIZATION (corporation, partnership, association, etc.)  | 8. IF<br>STAT                                    | INCORPORATED, GIVE<br>E OF INCORPORATION   | 9. DATE OF  | INCORPORATION  | October 31, 2013  |  |  |
| Corporation  |  | Iowa   |   | March 5, 1999  |   |  |  |
| 10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN THIS APPLICATION. (First Debora Phillips  Bradford D. Hall 7250 NW 62nd A Pioneer Hi-Bred International, Inc.  Crop Genetics Research and Devel PO Box 85 552 0552  Johnston, Iowa 50131-0885 USA  |  |  | Avenue  | F FILING AND EXAMINATION FEES:  \$ 4382.00  DATE 10/31/2013  C CERTIFICATION FEE:  C DATE  |   |  |  |
| - P085252  |  | ude area code)   |   | 13. E-MAIL PVP.corn@pioneer.com  |   |  |  |
| (515) 535-6975 3305  |  | (515) 535-2125   | 6883  | brad.hall@p  18. DOES THE VARIETY CONTAIN ANY TRAN   | ioneer.com  |  |  |
| The series of th | 6. FAMILY  | NAME (Botanical)   |   | YES NO   | SGENES (OFTIONAL)   |  |  |
| Corn  15. GENUS AND SPECIES NAME OF CROP 1   | 7 ICTUE  | Gramineae<br>ARIETY A FIRST GENERAT  | TON HYBRID  | IE SO DI EASE GIVE THE ASSIGNED LISDA-A  | PHIS REFERENCE NUMBER FOR THE   |  |  |
| Zea mays   | us Apple Boss                                    | YES X NO   | ION TITULATE  | APPROVED PETITION TO DEREGULATE THE GENETICALLY MODIFIED PLANT FOR COMMERCIALIZATION.  |   |  |  |
| 19. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reverse)  a. X Exhibit A. Origin and Breeding History of the Variety  b. X Exhibit B. Statement of Distinctness  c. X Exhibit C. Objective Description of Variety  d. Exhibit D. Additional Description of the Variety (Optional)  e. X Exhibit E. Statement of the Basis of the Owner's Ownership   |  |  | 20. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE SOLD ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act)  YES (if "yes", enswer items 21 and 22 below)  X NO (if "no", go to item 23)  UNDECIDED  21. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF CLASSES?  YES NO  IF YES, WHICH CLASSES? FOUNDATION REGISTERED CERTIFIED |  |   |  |  |
| f. X Exhibit F. Declaration Regarding Deposit  | E.   |  |   | 22. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?   |   |  |  |
| g. X Voucher Sample (3,000 viable untreated a<br>that tissue culture will be deposited and ma  | seeds or, for                                    | tuber propagated varieties, v  | rerification  | T YES NO   |   |  |  |
| h. X Filing and Examination Fee (\$4,382), made States" (Mail to the Plant Variety Protection  | de payable to<br>on Office)                      | "Treasurer of the United   |   | IF YES, SPECIFY THE NUMBER 1,2,3, etc. FOR EACH CLASS.    FOUNDATION   REGISTERED   CERTIFIED  |   |  |  |
| 23. HAS THE VARIETY (INCLUDING ANY HARV<br>FROM THIS VARIETY BEEN SOLD, DISPOS<br>OTHER COUNTRIES?   | VESTED MA'<br>SED OF, TRA                        | TERIAL) OR A HYBRID PRO<br>ANSFERRED, OR USED IN 1   | THE U.S. OR   | 24. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)?  X YES NO |   |  |  |
| YES X NO   |  | , c pioposition toance   | TO OBJEE  | IF YES, PLEASE GIVE COUNTRY, DATE O  | FILING OR ISSUANCE AND ASSIGNED   |  |  |
| IF YES, YOU MUST PROVIDE THE DATE OF FOR EACH COUNTRY AND THE CIRCUMS  | STANCES. (                                       | Please use space indicated c   | on reverse.)  | REFERENCE NUMBER. (Please use space  | indicated on reverse.)  |  |  |
| may be applicable, or for a tuber propaga  | ted variety a<br>er of this sex<br>inder the pro | tissue culture will be deposit<br>wally reproduced or tuber provisions of Section 42 of the F  | ed in a public<br>ppagated plant<br>Plant Variety P   |  | eruncate.   |  |  |
| SIGNATURE OF OWNER   |  |  |   | SNATURE OF OWNER   | Dielkelle desert by Desidend D. Hell                                      |  |  |
|  |  |  |   | Briga Do Al  | Digitally signed by Bradford D. Hall<br>Date: 2013.10.30 12:00:25 -05'00' |  |  |
| NAME (Please print or type)  |  |  | NA  | ME (Please print or type)  | 8   |  |  |
|  |  |  |   | Bradford D. Hall   |   |  |  |
| CAPACITY OR TITLE  |  | DATE   | CA  | PACITY OR TITLE  | DATE  |  |  |
| Control of Control of the Control of Control |  | THE PROPERTY OF THE PROPERTY O | 1000  | Sr. Research Associate   | 10/30/13  |  |  |

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filing fee and \$3,864 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice). NEW: With the application for a seed reproduced variety or by direct deposit soon after filing, the applicant must provide at least 3,000 viable untreated seeds of the variety per se, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to reproduce the variety. Partial applications will be held in the PVPO for not more than 90 days; then returned to the applicant as un-filed. Mail application and other requirements to USDA, AMS, S&T, Plant Variety Protection Office, 1400 Independence Ave., S.W., Room 4512 – South Building, Mail stop 0274, Washington, DC 20250. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initiated and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for issuance of the certificates. Certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

Plant Variety Protection Office

Telephone: (301) 504-5518 FAX: (301) 504-5291

General E-mail: PVPOmail@usda.gov

Homepage: http://www.ams.usda.gov/science/pvpo/PVPindex.htm

#### SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and **provide evidence** that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: U.S. Department of Agriculture, Agricultural Marketing Service, Livestock and Seed Programs, **Seed Regulatory and Testing Branch**, 801 Summit Crossing Place, Suite C, Gastonia, North Carolina 28054-2193 Telephone: (704) 810-8870. http://www.ams.usda.gov/lsg/seed.htm.

#### ITEM

19a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
  - (1) identify these varieties and state all differences objectively;
  - (2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
  - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

USPTO 2/13/2013 Application Serial No. 61/764,050

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

## CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit B and C, "Objective Description of Variety," are collected primarily at Johnston and/or Dallas Center, Iowa. The quantitative data in Table 1 are from two sample t-tests using data collected in the locations or environments shown. Qualitative trait data are presented from environments where the data best represents the variety(ies). The traits in Exhibit B collectively show distinct differences between the two varieties.

For the given year of data collection, our experimental design was set up so entries with similar maturities were planted near each other with one replication of the new variety grown in each environmental location. The experiment procedures generally involve two or three locations/environments with different planting dates, planted in 17.42 ft., 4 row plots for each variety. Approximately 24-30 plants emerged in each of the 4 rows for a total of around 96 to 120 plants being evaluated in each environment and 192 to 360 plants across locations or environments. For plant level traits, we sampled up to 20 representative plants from the middle 2 rows of the 4 row plot (group) of plants in each location/environment. For plot level traits we evaluated the 4 row plot (group) and gave a representative score or average on the 96-120 plants in the group within an experiment.

| GROWING DEGREE UNITS (GDU) |                  |                   |                    | PRECIPITATION (Inches) |            |               |  |  |
|----------------------------|------------------|-------------------|--------------------|------------------------|------------|---------------|--|--|
|                            |                  | 2012              |                    |                        | 2012       |               |  |  |
| Month                      | Johnston 1       | Johnston 2        | Dallas Center      | Johnston 1             | Johnston 2 | Dallas Center |  |  |
| April                      | 14               | -                 |                    | 0.68                   | +          | -             |  |  |
| May                        | 551              | 319               | 386                | 4.55                   | 2.2        | 0.93          |  |  |
| June                       | 708              | 708               | 668                | 3.16                   | 3.16       | 1.41          |  |  |
| July                       | 881              | 881               | 800                | 4.77                   | 4.77       | 0.75          |  |  |
| August                     | 667              | 667               | 615                | 3.25                   | 3.25       | 2.59          |  |  |
| September                  | 464              | 464               | 462                | 1.65                   | 1.65       | 1.04          |  |  |
| Totals*                    | 3285             | 3039              | 2930               | 18.06                  | 15.03      | 6.72          |  |  |
|                            |                  |                   | n planting thru Se |                        |            |               |  |  |
| Totals inclu               | ide aprox. 5 inc | hes of irrigation | applied to the Jo  | hnston fields.         |            |               |  |  |

Growing Degree Units use following formula: GDU = ((T1+T2)/2)-50

Where T1 = minimum temperature for a given day with 50 degrees Fahrenheit as the minimum temperature used and 86 degrees Fahrenheit is the maximum temperature used.

Where T2 = maximum temperature for a given day with 86 degrees Fahrenheit as the maximum temperature used and 50 degrees Fahrenheit is the minimum temperature used.

GDUs are calculated each day and accumulated (summed) over certain number of days.

Please note: the 2012 growing season in Iowa was affected by historic drought and high temperatures. Analysis of variance between 2012 and the proceeding 14 years demonstrated that certain traits were more affected by these weather conditions than others. Ear diameter, Ear weight, Husk length and Kernel number per row showed higher than expected variance.

## Exhibit A: Origin and Breeding History for PH1V69

Pioneer variety **PH1V69**, an inbred of yellow corn (*Zea mays L.*), was developed by Pioneer Hi-Bred International, Inc. from a cross made in 2005 in New Holland, Pennsylvania between PHHHD (PVP Certificate No. 200900208) and PHCCW (PVP Certificate No. 200500226) using the pedigree method of plant breeding. Varieties PHHHD and PHCCW are proprietary inbred lines of Pioneer Hi-Bred International, Inc.

During line development, crosses were made to inbred testers for the purpose of estimating hybrid combining ability. Yield trials were grown at Garden City, Kansas and other Pioneer research locations.

The criteria used in the selection of **PH1V69** were yield per se and yield in hybrid combination. Late season plant health, grain quality, and stalk lodging resistance were important criteria considered during selection. Other selection criteria include: ability to germinate in adverse conditions, disease and insect resistance, pollen production and tassel size.

Variety **PH1V69** has shown uniformity and stability for 5 generations and for all traits observed as described in Exhibit C – Objective Description of Variety.

No variants have been observed or are expected in PH1V69.

### **Developmental History**

- → The initial cross PHHHD x PHCCW was made in New Holland, Pennsylvania in 2005.
- → The F1 seed was planted at Salinas, Puerto Rico in 2005 and self-pollinated. The F2 seed was bulked.
- → The F2 seed was planted at Salinas, Puerto Rico in 2006 and self-pollinated. The F3 ears were selected.
- → The F3 seed was planted ear-to-row at Garden City, Kansas in 2007 and self-pollinated. The F4 ears were selected.
- → The F4 seed was planted ear-to-row at Puerto Vallarta, Mexico in 2007 and self-pollinated. The F5 ears were selected.
- → The F5 seed was planted ear-to-row at Garden City, Kansas in 2008 and self-pollinated. The F6 ears were selected.
- → The F6 seed was planted ear-to-row at Kekaha, Kauai, Hawaii in 2008 and self-pollinated. The F7 ears were selected.
- → The F7 seed was planted ear-to-row at Garden City, Kansas in 2009 and self-pollinated. The F8 ears were selected.
- → The F8 seed was planted ear-to-row at Puerto Vallarta, Mexico in 2009 and self-pollinated. The resulting F9 ears were selected to form the breeder seed.

## **Exhibit B: Statement of Distinctness**

Variety PH1V69 is most similar to Pioneer Hi-Bred International, Inc. proprietary inbred line PHCCW (PVP Certificate No. 200500226). Variety PH1V69 is significantly different from PHCCW in the following traits (see Table 1).

## Variety PH1V69 has:

- a lesser average angle between the leaf and stalk (15.7 degrees for PH1V69 vs 27.3 degrees for PHCCW)
- a greater average number of nodes above ground (14.2 nodes for PH1V69 vs 12.1 nodes for PHCCW)
- pink-orange colored silk (pink-orange, 2.5YR6/6 for PH1V69 vs yellow-green, 10Y8.5/8 for PHCCW)

Table 1: Data supporting differences between PH1V69 and PHCCW. The varieties were grown in two locations having different planting dates and growing environments. A two-sample t-test was used to compare differences between means.

| angle | between t  | he leaf and sta | lk (degrees) |         |         |        |        |       |         |         |        |         |       |
|-------|------------|-----------------|--------------|---------|---------|--------|--------|-------|---------|---------|--------|---------|-------|
| Year  | Location   | VARIETY-1       | VARIETY-2    | Count-1 | Count-2 | Mean-1 | Mean-2 | Diff  | Stdev-1 | Stdev-2 | SEdiff | t-value |       |
| 2012  | JH1        | PH1V69          | PHCCW        | 20      | 20      | 15.1   | 23.6   | -8.5  | 2.81    | 3.94    | 0.75   | -7.86   | 0.000 |
| 2012  | JH2        | PH1V69          | PHCCW        | 20      | 20      | 16.3   | 31.1   | -14.8 | 2.15    | 5.62    | 0.87   | -10.99  | 0.000 |
| numb  | er of node | s above groun   | d (nodes)    |         |         |        |        |       |         |         |        |         |       |
| Year  | Location   | VARIETY-1       | VARIETY-2    | Count-1 | Count-2 | Mean-1 | Mean-2 | Diff  | Stdev-1 | Stdev-2 | SEdiff | t-value | prob  |
| 2012  | JH1        | PH1V69          | PHCCW        | 20      | 20      | 13.7   | 11.9   | 1.9   | 0.57    | 1.14    | 0.19   | 6.50    | 0.000 |
| 2012  | IH2        | PH1V69          | PHCCW        | 20      | 20      | 14.7   | 12.4   | 2.3   | 0.75    | 0.49    | 0.14   | 11.54   | 0.000 |

REPRODUCE LOCALLY. Include form number and date on all reproductions.

Form Approved OMB NO 0581-0055

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 3.5 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800)795-3272 (voice) or (202)720-6382 (TDD). USDA is an equal opportunity provider and employer.

Exhibit C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY ANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

### **OBJECTIVE DESCRIPTION OF VARIETY** Corn (Zea mays L.)

| NAME OF APPLICANT (S) Pioneer Hi-Bred International, Inc.         | TEMPORARY OR EXPERIMENTAL DESIGNATION | VARIETY NAME PH1V69 |
|---|---------------------------------------|---------------------|
| ADDRESS (Street and No. or RD No., City, State, Zip Code, and Co. | FOR OFFICIAL USE ONLY                 |                     |
| 7301 NW 62nd Avenue 7100 NW 62nd A                                | 201400047                             |                     |
| Johnston  | -1014<br>owa 50131-0085 USA           | ]   201400047       |

In the spaces on the left, enter the appropriate numbers that describe the characteristics of the application variety. On the right, enter the appropriate numbers that describe the characteristics of the most similar comparison variety. Right justify whole numbers by adding leading zeros if necessary. The variety that you choose for comparison should be the most similar one in terms of overall morphology, background and maturity. The comparison variety should be grown in field trials with the application variety for 2-3 location/years (environments) in the region and season of best adaptability. At least one year of trials should be conducted within the United States of America. In general, measurements of quantitative traits should be taken from one trial on 15-25 randomly selected plants or plant parts to obtain averages and statistics that describe a typical field of the variety. (Form technical content last updated Dec. 1992)

COLOR CHOICES (Use in conjunction with Munsell color code to describe all color choices: describe #25 and #26 in Comments section):

| 01 = Light Green<br>02 = Medium Green<br>03 = Dark Green<br>04 = Very Dark Green<br>05 = Green-Yellow | 07 = Yellow<br>08 = Yellow-Orange<br>09 = Salmon<br>10 = Pink-Orange | 12 = Light Red<br>13 = Cherry Red<br>14 = Red<br>15 = Red & White | 17 = Purple<br>18 = Colorless<br>19 = White<br>20 = White Capped | 22 = Tan<br>23 = Brown<br>24 = Bronze<br>25 = Variegated (Describe)<br>26 = Other (Describe) |  |
|---|--|---|--|--|--|
| 03 = Dark Green<br>04 = Very Dark Green   | 08 = Yellow-Orange<br>09 = Salmon                                    | 13 = Cherry Red<br>14 = Red                                       | 18 = Colorless<br>19 = White                                     | 2:   | 3 = Brown<br>4 = Bronze<br>5 = Variegated (Describe) |

STANDARD INBRED CHOICES (Use the most similar (in background and maturity) of these to make comparisons based on grow-out trial data): Sweet Corn: Yellow Dent Families: Yellow Dent (Unrelated): C13, Iowa5125, P39, 2132 Co109, ND246 Family Members Oh7, T232 CM105, A632, B64, B68 **B14** Popcorn: **B37** B37, B76, H84 W117, W153R SG1533, 4722, HP301, HP7211 N192, A679, B73, NC268 W182BN **B73** Mo17, Va102, Va35, A682 C103 Pipecorn: A619, MS71, H99, Va26 White Dent: Oh43 Mo15W, Mo16W, Mo24W CI66, H105, Ky228 W64A, A554, A654, Pa91 Wf9 Standard Inhrad Name:

| 1. TYPE: (Describe intermediate types in Comments section)  2    1 = Sweet 2 = Dent 3 = Flint 4 = Flour 5 = Pop 6 = Ornamental 7 = Pipecorn  8 = Other (specify) | 2 Type  |
|--|---|
| 2. REGION WHERE DEVELOPED IN THE U.S.A.:  1 = Northwest 2 = North central 3 = Northeast 4 = Southeast  5 = South central 6 = Southwest 7 = Other                 | Standard Seed Source: PI 550473  Region Where Developed |
| Application Variety Data   | Standard Inbred Data                                    |

| Application Variety Data                                 |  |                                       | Standard Inbre                       | d Data                                |                              | Exhibit C (Corn |
|--|--|---------------------------------------|--------------------------------------|---------------------------------------|------------------------------|-----------------|
| Application Variety Data 3. MATURITY (In Region Best Ad. | aptability: show Heat Unit Formula in Con  | nments section):                      | 3.0                                  |                                       |                              |                 |
| DAYS HEAT UN   |  | , , , , , , , , , , , , , , , , , , , | DAYS                                 | HEAT UNITS                            | <b>;</b>                     |                 |
| 61 1319.   | 2000 2 W   | nts in silk                           | 64                                   | 1412.0                                | 50% Silk                     |                 |
| 62 1349  | .0 From emergence to 50% of plan   | nts in pollen                         | 64                                   | 1412.0                                | 50% Pollen                   |                 |
| 5 147  | .0 From 10% to 90% pollen shed   |                                       | 5                                    | 128.0                                 | Pollen Shed P                | eriod           |
|  | From 50% silk to optimum edible  | e quality                             |                                      |                                       | 50% Edible                   |                 |
| -  | <del></del> 4 Fee  |                                       | -                                    |                                       | Dry Down Peri                | od              |
|  | From 50% silk to harvest at 25%  |                                       |                                      |                                       | TO BUT TO SEE STANDING STONE |                 |
| 4. PLANT:  | Standard Deviation   | Sample Size                           | Mean                                 |                                       | dard Deviation               |                 |
| 178.4 cm Plant Height (to ta                             | ssel tip)6.06  | 20                                    | 207.6 cm                             | Plant Height                          | 10.29                        | 20              |
| 67.1 cm Ear Height (to bas                               | e of top ear node)4.59   | 20                                    | 85.3 cm                              | Ear Height                            | 6.53                         | 20              |
| 12.2 cm Length of Top Ear                                | Internode1.40_   | 20                                    | 15.4 cm                              | Internode                             | 1.04                         | 20              |
| 0.0 Average Number of T                                  | illers0.00   | 20                                    | 0.0 No.                              | Tillers                               | 0.00                         | 20              |
| 1.0 Average Number of E                                  | ars per Stalk 0.00   | 20                                    | 0.8 No.                              | Ears/Stalk                            | 0.41                         | 20              |
| 1 Anthocyanin of Brace F                                 | Roots: 1 = Absent 2 = Faint 3 = Modera   | ate 4 = Dark                          | 4 Bra                                | ce Root Anthocya                      | nin                          |                 |
| 5. LEAF:   | Standard Deviation   | Sample Size                           | Mean                                 | Stand                                 | dard Deviation               | Sample Siz      |
| 8.9 cm Width of Ear Node                                 | e Leaf 0.67_   | 20                                    | 8.4 cm                               | Leaf Width                            | 0.88                         | 20              |
| 72.6 cm Length of Ear Noo                                | The state of the s | 19                                    | 79.2 cm                              | Leaf Length                           | 3.03                         | 20              |
| 5.9 Number of leaves abo                                 | ANN ARREST - VALUE - V | 20                                    | 6.0_ No.                             | Top Leaves                            | 0.67                         | 19              |
| 15.1 degrees Leaf Angle (measure from 2nd                | 2.81 I leaf above ear at anthesis to stalk ab  | 20<br>ove leaf)                       | 19.2 Lea                             | af Angle                              | 5.21                         | 20              |
| 4 Leaf Color (Munsell C                                  | code)5GY3/4  |                                       | 4 Leaf Color (Munsell Code)7.5GY3/4_ |                                       |                              |                 |
| 7 Leaf Sheath Pubesce                                    | ence<br>= none to 9 = like peach fuzz)   |                                       | 7 Lea                                | af Sheath Pubesce                     | ence                         |                 |
| New Management April 4                                   | e on scale from 1 = none to 9 = many)  |                                       | Marginal Waves                       |                                       |                              |                 |
|  | (Rate on scale from 1 = none to 9 = n  |                                       | Lor                                  | ngitudinal Creases                    |                              |                 |
| 6. TASSEL:   | Standard Deviation   | Sample Size                           | Mean                                 | Stan                                  | dard Deviation               | Sample Siz      |
| 3.1 Number of Primary L                                  | ateral Branches 1.23   | 20                                    | 9.0 No                               | . Tassel Branches                     | 2.58                         | 20              |
| 32.4 Branch Angle from C                                 | 20002849116202344602469  | 19                                    | 16.9_ Bra                            | anch Angle                            | 5.65                         | 20              |
| 32.7 cm Tassel Length (From top leaf collar              | 2.85   | 20                                    | 37.0_ cm                             | Tassel Length                         | 3.73                         | 20              |
| 4 Pollen Shed (Rate or                                   | Scale from 0 = male sterile to 9 = he  | avy shed)                             | 8 Po                                 | ollen Shed Rate                       |                              |                 |
| 12 Anther Color (Munse                                   |  |                                       | 11 An                                | ther Color (Munse                     | ell Code)10F                 | RP6/8_          |
| 2 Glume Color (Munsell Code) 7.5GY5/6                    |  |                                       |                                      | 12 Glume Color (Munsell Code) 2.5R4/8 |                              |                 |
| <del>5 -                                   </del>        | Bands): 1 = Absent 2 = Present   |                                       | 700 0000                             | r Glumes                              | ercontratore, marketilleto   |                 |
| - CANADA - NET TOTO TO CONTROL AND SWAP CONTROL          |  |                                       | Standard Inbre                       | ad Data                               |                              |                 |
| Application Variety Data                                 |  |                                       | J Standard Inbr                      | ou Data                               |                              |                 |

| Application V | /ariety Data   |                                       |                        | Standard | Inbred Data  | Exhibit C (Con |
|---------------|--|---------------------------------------|------------------------|----------|--|----------------|
| - Here Self   | nhusked Data):   |                                       |                        |          | And the second s |                |
|               | Silk Color (3 days after emergence) (Muns  | ell code)                             | 2.5YR6/6               | 1        | Silk Color (Munsell code)  | 2.5GY8/6       |
| 1             | Fresh Husk Color (25 days after 50% silkin   |                                       | 5GY7/6                 | 2        | Fresh Husk Color (Munsell code)  | 5GY6/8         |
| 19            | Dry Husk Color (65 days after 50% silking)   |                                       | 2.5Y9/2                | 21       | Dry Husk Color (Munsell code)  | 2.5YR8/4       |
| 3             | Position of Ear at Dry Husk Stage: 1 = Upri  |                                       | 100 NO NO NO           | 1        | Ear Position   |                |
| 7             | Husk Tightness (Rate on scale from 1 = ve  |                                       |                        | 6        | Husk Tightness   |                |
|               | Husk Extension (at harvest): 1 = Short (ear 3 = Long (8-10 cm beyond ear tip) 4 = Ve   | s exposed) 2 = Me                     | 200                    | 3        | Husk Extension   |                |
| 7b. EAR (H    | AND CONTROL OF THE CO | Standard Deviation                    | Sample Size            | Mean     | Standard Deviation   | Sample Size    |
| 14.4          | cm Ear Length  | 0.95                                  | 20                     | 12.0     | cm Ear Length 1.37_  | _19            |
| 40.2          | mm Ear Diameter at mid-point   | 1.54                                  | 20                     | 43.4     | mm Ear Diameter 2.26   | _19            |
| 115.8         | gm Ear Weight  | 14.68                                 | 20                     | 94.0     | gm Ear Weight 29.87  | 19             |
|               |  | <del></del>                           | (MAG)                  | 10/2012  | No. Kernel Rows 1.76   | 19             |
| 13.2          | Number of Kernel Rows  | 1.01                                  | 20                     | 18.0     | A STATE OF THE STA |                |
| 2             | Kernel Rows: 1 = Indistinct 2 = Distinct   | 11. 21.2                              |                        |          | Kernel Rows  |                |
| 1             | Row Alignment: 1 = Straight 2 = Slightly 0   |                                       |                        | 1        | Row Alignment  | 19             |
| 7.8           | cm Shank Length  | 0.90                                  | 20                     | 7.6      | cm Shank Length 1.48   |                |
|               | Ear Taper: 1 = Slight 2 = Average 3 = Ex   |                                       |                        | 1        | Ear Taper Standard Deviation   | Comple Cia     |
| 8. KERNEL     | . (Dried):   | Standard Deviation                    | Sample Size            | Mean     | Standard Deviation   | Sample Siz     |
| 11.6          | mm Kernel Length   | 0.64                                  | 20                     | 11.0     | mm Kernel Length 0.68  | 19             |
| 8.4           | mm Kernel Width  | 0.34                                  | 20                     | 7.4      | mm Kernel Width0.53  | 19             |
| 4.5           | mm Kernel Thickness  | 0.19                                  | 20                     | 4.7      | mm Kernel Thickness0.53  | 19             |
| 51.6          | % Round Kernels (Shape Grade)  |                                       | 1**                    | 36.6     | % Round Kernels  | _1**           |
|               | Aleurone Color Pattern: 1=Homozygous 2 (Describe)  | 2=Segregating                         |                        | 1        | Aleurone Color Pattern (Describe) _  |                |
| 7             | Aleurone Color (Munsell code)  | 10YR8/14                              |                        | 7        | Aleurone Color (Munsell code)  | 10YR7/14       |
| 7             | Hard Endosperm Color (Munsell code)  | 10YR7/14                              |                        | 7        | Endosperm Color (Munsell code)   | 10YR6/12       |
| 3             | Endosperm Type: 1 = Sweet (su1) 2 =  |                                       |                        | 3        | Endosperm Type   |                |
|               | 3 = Normal Starch 4 = High Amy<br>6 = High Protein 7 = High Lysi<br>9 = High Oil 10 = Other  | lose Starch 5 = Wa<br>ne 8 = Super Sw | axy Starch<br>eet (se) |          |  |                |
| 29.3          | gm Weight per 100 Kernels (unsized sam   | ple)                                  | 1**                    | 23.7     | gm Kernel Wt.  |                |
| 9. COB:       |  | Standard Deviation                    | Sample Size            | Mean     | Standard Deviation   | Sample Si      |
| 20.6          | mm Cob Diameter at mid-point   | 0.86                                  | 20                     | _ 27.3   | mm Cob Diameter 1.61   | 19             |
| 14            | Cob Color (Munsell code)   | 10R3/8                                |                        | 10       | Cob Color (Munsell code)   | 10R5/8         |
|               | Variety Data   |                                       |                        | Standar  | d Inbred Data  |                |

| Exhibit | C   | (Com) |  |
|---------|-----|-------|--|
| EXHIDIL | U 1 | COILI |  |

| Application Variety Data   | Standard Inbred Data                                    |
|--|---|
| DISEASE RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant); leave blank if not tested; leave Race or Strain Options blank if polygenic):   |   |
| A. Leaf Blights, Wilts, and Local Infection Diseases   | N N   |
| Anthracnose Leaf Blight (Colletotrichum graminicola)     Common Rust (Puccinia sorghi)     Common Smut (Ustilago maydis)   | Anthracnose Leaf Blight Common Rust Common Smut         |
| Eyespot (Kabatiella zeae)  | Eyespot   |
| 6 Goss's Wilt (Clavibacter michiganense spp. nebraskense)  | 6 Goss's Wilt   |
| 6 Gray Leaf Spot (Cercospora zeae-maydis)  | 3 Gray Leaf Spot  |
| Helminthosporium Leaf Spot (Bipolaris zeicola) Race  | Helminthosporium Leaf Spot                              |
| 5 Northern Leaf Blight (Exserohilum turcicum) Race   | 3 Southern Leaf Blight Race                             |
| 3 Southern Leaf Blight (Bipolaris maydis) Race Southern Rust (Puccinia polysora)   | Southern Rust   |
| Stewart's Wilt (Erwinia stewartii)   | Stewart's Wilt  |
| Other (Specify)  | Other (Specify)   |
| B. Systemic Diseases   |   |
| Š.   | Corn Lethal Necrosis                                    |
| Corn Lethal Necrosis (MCMV and MDMV)  Head Smut (Sphacelotheca reiliana)   | 6 Head Smut   |
| Maize Chlorotic Dwarf Virus (MCDV)   | Maize Chlorotic Dwarf Virus                             |
| Maize Chlorotic Mottle Virus (MCMV)  | Maize Chlorotic Mottle Virus                            |
| Maize Dwarf Mosaic Virus (MDMV) Strain   | Maize Dwarf Mosaic Virus Strain                         |
| Sorghum Downy Mildew of Corn (Peronosclerospora sorghi)  | Sorghum Downy Mildew of Corn Other (Specify)            |
| Other (Specify)  | Other (openity)   |
| C. Stalk Rots  | 5 S S S S S S S S S S                                   |
| Anthracnose Stalk Rot (Colletotrichum graminicola)   | Anthracnose Stalk Rot                                   |
| Diplodia Stalk Rot (Stenocarpella maydis)  | Diplodia Stalk Rot<br>Fusarium Stalk Rot                |
| Fusarium Stalk Rot (Fusarium moniliforme)  | Gibberella Stalk Rot                                    |
| Gibberella Stalk Rot (Gibberella zeae) Other (Specify)   | Other (Specify)   |
| Other (Specify)  |   |
| D. Ear and Kernel Rots   | A   |
| Aspergillus Ear and Kernel Rot (Aspergillus flavus)  | Aspergillus Ear and Kernel Rot Diplodia Ear Rot         |
| <ul> <li>Diplodia Ear Rot (Stenocarpella maydis)</li> <li>Fusarium Ear and Kernel Rot (Fusarium moniliforme)</li> </ul>  | 6 Fusarium Ear and Kernel Rot                           |
| Gibberella Ear Rot (Gibberella zeae)   | Gibberella Ear Rot                                      |
| Other (Specify)  | Other (Specify)   |
| 11. INSECT RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant)  | 1   |
| Leave blank if not tested): Standard Deviation Sample Size   | Standard Deviation Sample Size                          |
| Banks Grass Mite (Oligonychus pratensis)   | Banks Grass Mite  |
| Corn Earworm (Helicoverpa zea)   | Corn Earworm  |
| Leaf-Feeding   | Leaf-Feeding  |
| Silk Feeding: mg larval wt   | Silk Feeding:   |
| Ear Damage   | Ear Damage  |
| Corn Leaf Aphid (Rhopalosiphum maidis)   | Corn Leaf Aphid   |
| Corn Sap Beetle (Carpophilus dimidiatus)   | Corn Sap Beetle   |
| TO THE STATE OF TH | European Carp Barer                                     |
| European Corn Borer (Ostrinia nubilalis)   | European Corn Borer<br>1st Generation                   |
| 1st Generation (Typically Whorl Leaf Feeding)  | 2nd Generation  |
| 2nd Generation (Typically Leaf Sheath-Collar Feeding)  | TOTAL CONTINUES AND |
| Stalk Tunneling:   | Stalk Tunneling:<br>cm tunneled/plant                   |
| cm tunneled/plant  | 1   |
| Fall Armyworm ( <i>Spodoptera frugiperda</i> )  Leaf-Feeding   | Fall Armyworm  Leaf-Feeding                             |
| Silk Feeding:  | Silk Feeding:   |
| mg larval wt.  | mg larval wt  |
|  | 21 July 1 Dele  |
| Application Variety Data   | Standard Inbred Data                                    |

| Application Variety Data   | Standard Inbred Data   |  |  |  |
|--|--|--|--|--|
| 44 INSECT RESISTANCE (continued):  |  |  |  |  |
| 11. INSECT RESISTANCE (continued):  Standard Deviation Sample Size   | Standard Deviation Sample Size                               |  |  |  |
| Maize Weevil (Sitophilus zeamaize)   | Maize Weevil   |  |  |  |
| Northern Rootworm (Diabrotica barberi)   | Northern Rootworm  |  |  |  |
| Southern Rootworm (Diabrotica undecimpunctata)   | Southern Rootworm  |  |  |  |
| Southwestern Corn Borer ( <i>Diatraea grandiosella</i> )   | Southwestern Corn Borer                                      |  |  |  |
| Leaf-Feeding   | Leaf-Feeding   |  |  |  |
| Stalk Tunneling: cm tunneled/plant   | Stalk Tunneling  |  |  |  |
| Two-spotted Spider Mite (Tetranychus urticae)  | Two-spotted Spider Mite                                      |  |  |  |
| Western Rootworm (Diabrotica virgifera virgifera)  | Western Rootworm   |  |  |  |
| Other (Specify)  | Other (Specify)  |  |  |  |
| 12. AGRONOMIC TRAITS:  |  |  |  |  |
| Stay Green (at 65 days after anthesis)   | Stay Green   |  |  |  |
| (Rate on a scale of 1 = worst to 9 = excellent)  |  |  |  |  |
| % Dropped Ears (at 65 days after anthesis)   | % Dropped ears   |  |  |  |
| % Pre-anthesis Brittle Snapping  | % Pre-anthesis Brittle Snapping                              |  |  |  |
| % Pre-anthesis Root Lodging  | % Pre-anthesis Root Lodging                                  |  |  |  |
| % Post-anthesis Root Lodging (at 65 days after anthesis)   | % Post-anthesis Root Lodging                                 |  |  |  |
| Kg/ha Yield of Inbred Per Se (at 12-13% grain moisture)  | Yield  |  |  |  |
|  |  |  |  |  |
| 13. MOLECULAR MARKERS: (0 = data unavailable; 1 = data available but not supplied  | d; 2 = data supplied)  |  |  |  |
| Isozymes RFLP's RAPD's1 Other (Specify   | ) SNPs   |  |  |  |
| REFERENCES:  |  |  |  |  |
|  | hio State I Injugreity                                       |  |  |  |
| Butler, D.R. 1954. A System for the Classification of Com Inbred Lines. PhD Thesis. O Emerson, R.A., G.W. Beadle, and A.C. Fraser. 1935. A Summary of Linkage Studies in   | Maize. Cornell A.E.S., Mem. 180.                             |  |  |  |
| Farr, D. F., G. F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Fungi on Plant and Plant Pl   | roducts in the United States. The American Phytopathological |  |  |  |
| Society. St. Paul, MN. Inglett, G. E. (Ed.) 1970. Corn: Culture, Processing, Products. Avi Publishing Company  | Westport, CT.  |  |  |  |
| Jugenheimer, R. W. 1976. Corn: Improvement, Seed Production, and Uses. John Wiley  | & Sons, New York.  |  |  |  |
| McGee D.C. 1988. Maize Diseases, APS Press, St. Paul, MN, 150 pp.  |  |  |  |  |
| Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230, Newburgh, NY 12551-0<br>The Mutants of Maize. 1968. Crop Science Society of America, Madison, WI.  | 200.   |  |  |  |
| Shurtleff M.C. 1980. Compendium of Corn Diseases. APS Press. St. Paul, MN, 105 p.  | op.  |  |  |  |
| Sprague, G.F., and J.W. Dudley (Editors). 1988. Com and Corn Improvement. Third Editors  | lition. Agronomy Monograph 18. ASA, CSSA, SSSA,              |  |  |  |
| Madison, Wl. Stringfield, G.H. <i>Maize Inbred Lines of Ohio</i> . Ohio A.E.S., Bul. 831. 1959. U. S. Department of Agriculture. 1936. 1937. Yearbook.   |  |  |  |  |
| O. O. Doparation of Agricultural 1999, 1997, 199 |  |  |  |  |
| COMMENTS: (e.g., state how heat units were calculated, standard inbred seed source, a  | and/or where data was collected. Continue in Exhibit D.)     |  |  |  |

\*\* For these plot-level traits, kernels from approximately 5 representative ears were sampled. 100 unsized kernels were counted and weighed. Up to 500 grams of kernels were sized by a 13/64 inch slot screen.

Insect, disease, brittle snapping, yield and root lodging data are collected mainly from environments where variability for the trait can be obtained within the experiment.

| REPRODUCE LOCALLY, include form number and date on all reproductions.  |   | Form Approved OMB NO 0581-0055  |  |  |  |
|--|---|---|--|--|--|
| U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE  EXHIBIT E  STATEMENT OF THE BASIS OF OWNERSHIP  | Application is required in order to deter<br>certificate is to be issued (7 U.S.C. 24:<br>confidential until the certificate is issue | 21). The information is held  |  |  |  |
| NAME OF APPLICANT(S)  Pioneer Hi-Bred International, Inc.  | PLICANT(S)  2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER   |   |  |  |  |
| 4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)  | 5. TELEPHONE (Include area code)  | 6. FAX (Include area code)  |  |  |  |
| 7100 NW 62nd Avenue  | (515) 535-6975 3200   | (515) 535-2125 <sub>4590</sub>  |  |  |  |
| P. O. Box 1014   | 7. PVPO NUMBER  |   |  |  |  |
| Johnston, Iowa 50131-1014 USA  | 201400047   |   |  |  |  |
| 8. Does the applicant own all rights to the variety? Mark an "X" in the a  | appropriate block. If no, please explain.   | X YES NO  |  |  |  |
| 9. Is the applicant a U.S. national or a U.S. based entity? If no, give n  | ame of country. X YES   | NO  |  |  |  |
| 10. Is the applicant the original owner?   | NO If no, please answer <u>on</u>   | e of the following:   |  |  |  |
| a. If the original rights to variety were owned by individual(s), is (a  | are) the original owner(s) a U.S. National<br>NO If no, give name of cou  | (s)?<br>ntry:   |  |  |  |
| b. If the original rights to variety were owned by a company(ies),   | is (are) the original owner(s) a U.S. base<br>NO If no, give name of cou  | ed company?<br>ntry:  |  |  |  |
| 11. Additional explanation on ownership (Trace ownership from original Pioneer Hi-Bred International, Inc. (PHI), Des Moines, Iow (POC), Des Moines, Iowa, is the employer of the plant bre Hi-Bred International and/or Pioneer Overseas Corporation contracts that assign all rights in the variety to PHI and/or retained by any individuals.   | wa, and/or its wholly owned subsiditeders involved in the selection and in has the sole rights and ownership                          | ary Pioneer Overseas Corporation<br>development of PH1V69. Pioneer<br>of PH1V69 pursuant to written |  |  |  |
| PLEASE NOTE:   |   |   |  |  |  |
| Plant variety protection can only be afforded to the owners (not licen   | sees) who meet the following criteria:  |   |  |  |  |
| If the rights to the variety are owned by the original breeder, that produced a country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords | person must be a U.S. national, national of   | of a UPOV member country, or es.  |  |  |  |
| <ol><li>If the rights to the variety are owned by the company which emplo<br/>nationals of a UPOV member country, or owned by nationals of a<br/>genus and species.</li></ol>  | yed the original breeder(s), the company<br>country which affords similar protection t  | must be U.S. based, owned by o nationals of the U.S. for the same                                   |  |  |  |
| 3. If the applicant is an owner who is not the original owner, both the  | original owner and the applicant must m   | eet one of the above criteria.  |  |  |  |
| The original breeder/owner may be the individual or company who d  |   |   |  |  |  |
| According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponso control number. The valid OMB control number for this information collection is 0581-0050 response, including the time for reviewing the instructions, searching existing data sources   | s, gathering and maintaining the data needed, and con   | pleting and reviewing the collection of information.  |  |  |  |
| The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and<br>status, familial status, parental status, religion, sexual orientation, genetic information, poli-<br>assistance program (Not all prohibited bases apply to all programs.) Persons with disabiliti<br>audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TD   | ical beliefs, reprisal, of decadse all of part of an indivi-<br>ies who require alternative means for communication of<br>D).         | of program information (Braille, large print,   |  |  |  |
| To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.   |   |   |  |  |  |

Form Approved OMB NO 0581-0055

REPRODUCE LOCALLY. Include form number and date on all reproductions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require atternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

**EXHIBIT F** 

| NAME OF OWNER (S) Pioneer Hi-Bred International, Inc. | ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 7100 NW 62nd Avenue P. O. Box 1014 Johnston, Iowa 50131-1014 USA | TEMPORARY OR EXPERIMENTAL DESIGNATION |
|---|--|---------------------------------------|
|   |  | VARIETY NAME PH1V69                   |
| NAME OF OWNER REPRESENTATIVE(S) Bradford D. Hall      | Pioneer Hi-Bred International, Inc. 7301 NW 62nd Avenue PO Box 85 Johnston, Iowa 50131-0085 USA  | FOR OFFICIAL USE ONLY                 |
|   |  | 201400047                             |

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.

Digitally signed by Bradford D. Hall Date: 2013.10.30 12:00:44 -05'00'

10/30/13 Date

Signature

# Adams, Gwendolyn - AMS

From:

Madsen, Candace <candace.madsen@pioneer.com>

Sent:

Wednesday, October 30, 2013 3:34 PM

To:

'janice.strachan@ams.usda.gov'; 'Gwendolyn.Adams@ams.usda.gov'; 'James.Mantooth@ams.usda.gov'; 'david.chalkley@ams.usda.gov'

Cc:

FLATTERY, Marian; Hagemann, Kim; Phillips, Debora; Foley, Tim; Madsen, Candace; Hall,

Brad

Subject:

FW: PVP Applications - 1 of 7 (PH1JYB) - Corrected

**Attachments:** 

PH1JYB\_App\_FINAL\_signed.pdf; Check and Letter.PDF; Variety Clearance Letter 2012.PDF

My apologies. The original email for PH11YB had the incorrect Variety Clearance Letter attached. I have attached the correct one to this email.

Thank you, Candace

From: Madsen, Candace

Sent: Wednesday, October 30, 2013 1:38 PM

To: 'janice.strachan@ams.usda.gov'; 'Gwendolyn.Adams@ams.usda.gov'; 'James.Mantooth@ams.usda.gov';

'david.chalkley@ams.usda.gov'

Cc: FLATTERY, Marian; Hagemann, Kim; Phillips, Debora; Foley, Tim; Madsen, Candace; Hall, Brad

Subject: PVP Applications - 1 of 7 (PH1JYB)

Janice,

Please find attached a PVP application prepared for filing. Also attached is a copy of the letter and check that will be mailed via UPS Next Day Air today to your attention.

Thank you, Candace

## Candace Madsen

Admin Coordinator **DuPont Pioneer** 7300 NW 62nd Avenue PO Box 1004 Johnston, IA 50131-1004 (515) 535-7756 (phone) (515) 535-2478 (fax) candace.madsen@pioneer.com

This communication is for use by the intended recipient and contains information that may be Privileged, confidential or copyrighted under applicable law. If you are not the intended recipient, you are hereby formally notified that any use, copying or distribution of this e-mail, in whole or in part, is strictly prohibited. Please notify the sender by return e-mail and delete this e-mail from your system. Unless explicitly and conspicuously designated as "E-Contract Intended", this e-mail does not constitute a contract offer, a contract amendment, or an acceptance

of a contract offer. This e-mail does not constitute a consent to the use of sender's contact information for direct marketing purposes or for transfers of data to third parties.

The dupont.com web address will continue in use for a transitional period for communications sent or received on behalf of DuPont Performance Coatings., which is not affiliated in any way with the DuPont Company.

Français Deutsch Italiano Espanol Portugues Japanese Chinese Korean

http://www.DuPont.com/corp/email\_disclaimer.html